


Search and Secure Procedure

Search and Secure Procedure

Booster

BoosterSS.V1.0



See next page for Procedure.

spb 17 Dec 2007
Version 1.0

CONTROLLED DOCUMENT

Users are responsible for ensuring they work to the latest approved revision. Printed or electronically transmitted copies are uncontrolled.

Booster Search & Secure Procedure

1. "A" and "B" reset Interlock box #1, a light link gate.
2. "B" holds, while "A" resets Interlock Box #2. "A" then backtrack to make eye contact with "B".
3. After "A" and "B" make eye contact, "B" sweeps the tunnel to "8" and waits to make eye contact with "A".
4. "A" sweeps the tunnel to "5", checking the stairway to interlock box #2 on the way.
5. "A" looks under the dump and proceeds to "6".
6. "A" makes eye contact with "B", then walks around the RDF dump, checking around, above and below.
7. "A" resets interlock box #3 then sweeps the tunnel and floor grates to join "B" at "8".
8. "B" Waits to make eye contact with "A".
9. "A" and "B" continues with the Booster Search and Secure.
10. "A" and "B" continue to sweep the tunnel to the exit to the East Utility yard. "A" holds and "B" checks the stairwell and reset Interlock box #4.
11. "A" and "B" continue to sweep the tunnel to the exit that's no longer an exit. "A" holds and "B" checks behind the C-Blocks and reset Interlock box #5.
12. "A" and "B" continue to sweep the tunnel towards the MI8 spur.
13. "B" enters the MI8 spur, while "A" holds at the entrance.
14. "B" resets Interlocks box #6.
15. "B" checks the stair well to Interlock box #7 and resets it.
16. "B" looks downstream towards Interlock box #6, then continues.
17. "B" resets Interlock box #8, the stairwell has optical lights to check if anyone tries to use the stairwell to get behind "B".
18. "B" sweeps the area; the AC unit, sump pit, before continuing up the stairs.
19. "B" resets Interlock box #9.
20. "B" and "A" make eye contact, "A" proceeds to step 22.
21. "B" checks the MI8 spur side of the kickers, waits until making eye contact with "A", may need to crouch under the Kickers to see "A". "B" backtracks via MI8 Spur - Booster hallway to join "A" at interlock box #10.
22. "A" proceeds to interlock box #10, checks the Booster side of the Kickers, make eye contact with "B", reset interlock box #10 and waits for "B".
23. "B" and "A" can now continue with the Booster search and secure.
24. "A" and "B" continue to sweep the tunnel to the exit to the West Utility yard. "A" holds and "B" checks the stairwell and reset Interlock box #11.
25. "A" and "B" continue to sweep the tunnel, checking the cover plates are in place and locked for the 400 MeV shute.
26. "A" and "B" continue to sweep the tunnel to the exit. "A" holds and "B" checks the stairwell and reset Interlock box #12.
27. "A" and "B" continue to sweep the tunnel to the staging area exit.
28. At the tunnel to the exit, "B" holds while "A" checks behind the magnets.
***Note the light link, passing through will drop the
Booster Interlocks and you will have to start over***
29. "A" and "B" sweep the tunnel to Interlock box #13.
30. "A" and "B" reset Interlock box #13 inside the tunnel and they control access out.

See previous page for Map.